


RECLAIMED WOOD

AH: Original, old wood with a surface full of character, sound and black knots possible, knotholes are filled with natural knot plugs, small unfilled parts possible, resin pockets possible, contrasting colour variations are a valued feature, worm holes, shakes, nail holes, mechanical damages, lamellas are jointfree placed.

Bottom layer AH: as above.

Bottom layer CG+: Spruce steamed, no special quality specifications, filled surface.

This panel is also available with a gluing adapted to wet areas (sauna) and is therefore in accordance with the emission requirements according to ONORM M6219-1:2010 for the use in sauna areas (see information "Admonter Element's in sauna areas" at <http://www.admonter.at/en/downloads/>).



The above picture shows an example of the natural character of the wood, this will vary in every panel. Variations in colour and grain patterns are natural and inevitable. A picture is never a substitute for the "real thing". For this reason we recommend a visit to your nearest Admonter dealer. He will be pleased to show you samples.

| STIA Norm | Thickness mm app. | Length mm (Width 2030) | Top layer thickness mm | Top layer width mm | Middle layer | Packaging pack./palett |
|---------------------------------|-------------------|-------------------------------------|------------------------|--------------------|--|------------------------|
| AH/CG+ (adapted to sauna areas) | 19 | 2100-5000 (subject to availability) | 5 | Mix | SML Spruce or BML Spruce (subject to availability) | 30 |
| AH/AH | 19 | 2100-5000 (subject to availability) | 5 | Mix | | 30 |
| AH/AH | 42 | 2100/2500 | 5 | Mix | | 10 |

SWP/3 non structural (ns): Solid wood panels for non-structural use in wet areas.

Legend: SML = strip core, BML = board middle layer.

